AUTHOR INDEX

Aasland, R., see Holck, A. (914) 49
Adelstein, R.S., see De Lanerolle, P. (914) 74
Arp, D.J., see Seefeldt, L.C. (914) 299
Ascoli, F., see Santucci, R. (914) 185
Atkinson, T., see Hart, K.W. (914) 294

Barstow, D.A., see Hart, K.W. (914) 294
Bayley, P.M., see Martin, S.R. (914) 96
Bend, J.R., see Foureman, G.L. (914) 127
Bhatia, A., see Foureman, G.L. (914) 127
Bieber, A.L., see Henderson, J.T. (914) 152
Bondon, A., Sodano, P., Simonneaux, G. and Craescu, C.T.
Phosphines as a new structural probe of hemoglobin. ^{1}H-NMR evidence for perturbations in the β heme pocket induced by a thiol reagent (914) 289
Breitling, F., see Grimm, M. (914) 83
Brunori, M., see Santucci, R. (914) 185
Bustos, M.M., see Cyr, R.J. (914) 28
Butler, F.M.M., see Martin, S.R. (914) 96

Cabanes, J., García-Cánovas, F. and García-Carmona, F.
Chemical and enzymatic oxidation of 4-methylcatechol in the presence and absence of L-serine. Spectrophotometric determination of intermediates (914) 190
Cabanes, J., see García-Carmona, F. (914) 198
Carrea, G., see Vecchio, G. (914) 122
Casalin, P., see Simonetta, M.P. (914) 136
Chevaillier, P., Martinage, A., Gusse, M. and Sautière, P.
Amino-acid sequence of scylliorhinine Z1 and comparison of the primary structure of the protamines of the dogfish *Scylliorhinus caniculus* (914) 19
Chia, W.N., see Hart, K.W. (914) 294
Clark, D.C., see Martin, S.R. (914) 96
Clarke, A.R., see Hart, K.W. (914) 294
Cook, N.D., Upperton, K.P. and Peters, B.C.C.T.J.
The donor specificity and kinetics of the hydrolysis reaction of γ-glutamyltransferase (914) 240
Cox, P.G.F., see Rietveld, E.C. (914) 162
Craescu, C.T., see Bondon, A. (914) 289
Cyr, R.J., Sotak, M., Bustos, M.M., Guiltinan, M.J. and Fosket, D.E.
Changes in the relative electrophoretic mobility of higher plant tubulin subunits in SDS-polyacrylamide gels (914) 28

Damodaran, S.
Influence of solvent conditions on refolding of bovine serum albumin (914) 114
De Lanerolle, P., Nishikawa, M., Felsen, R. and Adelstein, R.S.
Immunological properties of myosin light-chain kinases (914) 74
De Zwart, M., see Rietveld, E.C. (914) 162
Docherty, P.A. and Jr.-Cánovas, N.N.A.
α-D-Mannopyranosylmethyl-*p*-nitrophenyltriazene inhibition of rat liver α-D-mannosidases (914) 283
Doyle, C.M., see Seefeldt, L.C. (914) 299
Duncan, A., see Robins, S.P. (914) 233

Felsen, R., see De Lanerolle, P. (914) 74
Fosket, D.E., see Cyr, R.J. (914) 28
Foureman, G.L., Hernandez, O., Bhatia, A. and Bend, J.R.
The stereoselectivity of four hepatic glutathione S-transferases purified from a marine elasmobranch (*Raja erinacea*) with several K-region polycyclic arene oxide substrates (914) 127
Funatsu, G., see Watanabe, K. (914) 177

Galván, F., see Romero, L.C. (914) 55
García-Cánovas, F., see Cabanes, J. (914) 190
García-Cánovas, F., see García-Carmona, F. (914) 198
García-Carmona, F., Cabanes, J. and García-Cánovas, F.
Enzymatic oxidation by frog epidermis tyrosinase of 4-methylcatechol and *p*-cresol. Influence of L-serine (914) 198
García-Carmona, F., see Cabanes, J. (914) 190
Giordano, G., Santini, C.-L., Saracino, L. and Iobbi, C.
Involvement of a protein with molybdenum cofactor in the in vitro activation of nitrate reductase from a *chl*A mutant of *Escherichia coli* K12 (914) 220
Grimm, M., Breitling, F. and Little, M.
Location of the epitope for the α-tubulin monoclonal antibody TU-01 (914) 83
Guiltinan, M.J., see Cyr, R.J. (914) 28
Gusse, M., see Chevaillier, P. (914) 19

Hanzlik, R.P., see Moon, J.B. (914) 1
Hart, K.W., Clarke, A.R., Wigley, D.B., Waldman, A.D.B., Chia, W.N., Barstow, D.A., Atkinson, T., Jones, J.B. and Holbrook, J.J.
A strong carboxylate–arginine interaction is important in substrate orientation and recognition in lactate dehydrogenase (914) 294
Henderson, J.T., Nieman, R.A. and Bieber, A.L.
Assignment of the aromatic ^{1}H-NMR resonances of myotoxin *a* isolated from the venom of *Crotalus viridis viridis* (914) 152
Hernandez, O., see Foureman, G.L. (914) 127
Hirsch, R.E. and Noble, R.W.

AUTHOR INDEX

Aasland, R., see Holck, A. (914) 49
Adelstein, R.S., see De Lanerolle, P. (914) 74
Arp, D.J., see Seefeldt, L.C. (914) 299
Ascoli, F., see Santucci, R. (914) 185
Atkinson, T., see Hart, K.W. (914) 294

Barstow, D.A., see Hart, K.W. (914) 294
Bayley, P.M., see Martin, S.R. (914) 96
Bend, J.R., see Foureman, G.L. (914) 127
Bhatia, A., see Foureman, G.L. (914) 127
Bieber, A.L., see Henderson, J.T. (914) 152
Bondon, A., Sodano, P., Simonneaux, G. and Craescu, C.T.
Phosphines as a new structural probe of hemoglobin. ^{1}H-NMR evidence for perturbations in the β heme pocket induced by a thiol reagent (914) 289
Breitling, F., see Grimm, M. (914) 83
Brunori, M., see Santucci, R. (914) 185
Bustos, M.M., see Cyr, R.J. (914) 28
Butler, F.M.M., see Martin, S.R. (914) 96

Cabanes, J., García-Cánovas, F. and García-Carmona, F.
Chemical and enzymatic oxidation of 4-methylcatechol in the presence and absence of L-serine. Spectrophotometric determination of intermediates (914) 190
Cabanes, J., see García-Carmona, F. (914) 198
Carrea, G., see Vecchio, G. (914) 122
Casalin, P., see Simonetta, M.P. (914) 136
Chevaillier, P., Martinage, A., Gusse, M. and Sautière, P.
Amino-acid sequence of scylliorhinine Z1 and comparison of the primary structure of the protamines of the dogfish *Scylliorhinus caniculus* (914) 19
Chia, W.N., see Hart, K.W. (914) 294
Clark, D.C., see Martin, S.R. (914) 96
Clarke, A.R., see Hart, K.W. (914) 294
Cook, N.D., Upperton, K.P. and Peters, B.C.C.T.J.
The donor specificity and kinetics of the hydrolysis reaction of γ-glutamyltransferase (914) 240
Cox, P.G.F., see Rietveld, E.C. (914) 162
Craescu, C.T., see Bondon, A. (914) 289
Cyr, R.J., Sotak, M., Bustos, M.M., Guiltinan, M.J. and Fosket, D.E.
Changes in the relative electrophoretic mobility of higher plant tubulin subunits in SDS-polyacrylamide gels (914) 28

Damodaran, S.
Influence of solvent conditions on refolding of bovine serum albumin (914) 114
De Lanerolle, P., Nishikawa, M., Felsen, R. and Adelstein, R.S.
Immunological properties of myosin light-chain kinases (914) 74
De Zwart, M., see Rietveld, E.C. (914) 162
Docherty, P.A. and Jr.-Cánovas, N.N.A.
α-D-Mannopyranosylmethyl-*p*-nitrophenyltriazene inhibition of rat liver α-D-mannosidases (914) 283
Doyle, C.M., see Seefeldt, L.C. (914) 299
Duncan, A., see Robins, S.P. (914) 233

Felsen, R., see De Lanerolle, P. (914) 74
Fosket, D.E., see Cyr, R.J. (914) 28
Foureman, G.L., Hernandez, O., Bhatia, A. and Bend, J.R.
The stereoselectivity of four hepatic glutathione S-transferases purified from a marine elasmobranch (*Raja erinacea*) with several K-region polycyclic arene oxide substrates (914) 127
Funatsu, G., see Watanabe, K. (914) 177

Galván, F., see Romero, L.C. (914) 55
García-Cánovas, F., see Cabanes, J. (914) 190
García-Cánovas, F., see García-Carmona, F. (914) 198
García-Carmona, F., Cabanes, J. and García-Cánovas, F.
Enzymatic oxidation by frog epidermis tyrosinase of 4-methylcatechol and *p*-cresol. Influence of L-serine (914) 198
García-Carmona, F., see Cabanes, J. (914) 190
Giordano, G., Santini, C.-L., Saracino, L. and Iobbi, C.
Involvement of a protein with molybdenum cofactor in the in vitro activation of nitrate reductase from a *chl*A mutant of *Escherichia coli* K12 (914) 220
Grimm, M., Breitling, F. and Little, M.
Location of the epitope for the α-tubulin monoclonal antibody TU-01 (914) 83
Guiltinan, M.J., see Cyr, R.J. (914) 28
Gusse, M., see Chevaillier, P. (914) 19

Hanzlik, R.P., see Moon, J.B. (914) 1
Hart, K.W., Clarke, A.R., Wigley, D.B., Waldman, A.D.B., Chia, W.N., Barstow, D.A., Atkinson, T., Jones, J.B. and Holbrook, J.J.
A strong carboxylate–arginine interaction is important in substrate orientation and recognition in lactate dehydrogenase (914) 294
Henderson, J.T., Nieman, R.A. and Bieber, A.L.
Assignment of the aromatic ^{1}H-NMR resonances of myotoxin *a* isolated from the venom of *Crotalus viridis viridis* (914) 152
Hernandez, O., see Foureman, G.L. (914) 127
Hirsch, R.E. and Noble, R.W.

Intrinsic fluorescence of carp hemoglobin: a study of the R → T transition (914) 213
Hiwatashi, A., see Tsubaki, M. (914) 246
Ho, C., see Russu, I.M. (914) 40
Ho, N.T., see Russu, I.M. (914) 40
Holbrook, J.J., see Hart, K.W. (914) 293
Holck, A., Lossius, I., Aasland, R. and Kleppe, K.
Purification and characterization of the 17 K protein, a DNA-binding protein from *Escherichia coli* (914) 49
Honbou, K., see Komiyama, T. (914) 89

Ichikawa, Y., see Tsubaki, M. (914) 246
Iobbi, C., see Giordano, G. (914) 220
Ishigaki, I., see Kume, T. (914) 101

Jones, J.B., see Hart, K.W. (914) 293
Jr.-Cánovas, N.N.A., see Docherty, P.A. (914) 283

Kaczmarek, E., Kaminski, M. and McDonagh, J.
Fibrinogen-Sepharose interaction with prothrombin, prethrombin 1, prethrombin 2 and thrombin (914) 275
Kaminski, M., see Kaczmarek, E. (914) 275
Kanno, H., see Komiyama, T. (914) 89
Kleppe, K., see Holck, A. (914) 49
Komiyama, T., Kanno, H., Honbou, K. and Miwa, M.
Comparison of spectral and structural properties of three homologous dimeric proteins (914) 89
Kropp, K.L., see Weaver, T.E. (914) 205
Kume, T. and Ishigaki, I.
Functional molecular size of trypsin inhibitors as determined by radiation inactivation analysis (914) 101

Lehman, W., Sheldon, A. and Madonia, W.
Diversity in smooth muscle thin filament composition (914) 35
Little, M., see Grimm, M. (914) 83
Ljones, T., see Syvertsen, C. (914) 6
Lossius, I., see Holck, A. (914) 49

McCollum, L.C., see Seefeldt, L.C. (914) 298
McDonagh, J., see Kaczmarek, E. (914) 275
Madonia, W., see Lehman, W. (914) 35
Mekimoto, S. and Taniguchi, Y.
Effect of pressure on the pre-steady-state kinetics of the hydrolysis of anilide substrates catalyzed by α-chymotrypsin (914) 303
Martin, S.R., Butler, F.M.M., Clark, D.C., Zhou, J.-M. and Bayley, P.M.
Magnesium ion effects on microtubule nucleation in vitro (914) 96
Martinage, A., see Chevaillier, P. (914) 19
Mazzola, G., see Vecchio, G. (914) 122
Melø, T.B., see Syvertsen, C. (914) 6
Miwa, M., see Komiyama, T. (914) 89
Moon, J.B. and Hanzlik, R.P.
Enthalpy and entropy of hippuraldehyde hydration and binding to papain (914) 1

Nieman, R.A., see Henderson, J.T. (914) 152
Nishikawa, M., see De Lanerolle, P. (914) 74
Noble, R.W., see Hirsch, R.E. (914) 213

Ohkubo, H., see Tsubaki, M. (914) 246

Pasta, P., see Vecchio, G. (914) 122
Peters, B.C.C.T.J., see Cook, N.D. (914) 240
Proud, C.G.
Isolation and characterisation of the guanine nucleotide exchange factor from rat liver (914) 63

Rietveld, E.C., De Zwart, M., Cox, P.G.F. and Seutter-Berlage, F.
Substituent effects during the rat liver aldehyde dehydrogenase catalyzed oxidation of aromatic aldehydes (914) 162
Robins, S.P. and Duncan, A.
Pyridinium crosslinks of bone collagen and their location in peptides isolated from rat femur (914) 233
Romero, L.C., Galván, F. and Vega, J.M.
Purification and properties of the siroheme-containing ferredoxin-nitrite reductase from *Chlamydomonas reinhardtii* (914) 55
Russu, I.M., Ho, N.T. and Ho, C.
A proton nuclear Overhauser effect investigation of the subunit interfaces in human normal adult hemoglobin (914) 40

Santini, C.-L., see Giordano, G. (914) 220
Santucci, R., Brunori, M. and Ascoli, F.
Unfolding and flexibility in hemoproteins shown in the case of carboxymethylated cytochrome *c* (914) 185
Saracino, L., see Giordano, G. (914) 220
Sautière, P., see Chevaillier, P. (914) 19
Seefeldt, L.C., McCollum, L.C., Doyle, C.M. and Arp, D.J.
Immunological and molecular evidence for a membrane-bound, dimeric hydrogenase in *Rhodopseudomonas capsulata* (914) 298
Seutter-Berlage, F., see Rietveld, E.C. (914) 162
Sheldon, A., see Lehman, W. (914) 35
Simonetta, M.P., Vanoni, M.A. and Casalin, P.
Purification and properties of D-amino-acid oxidase, an inducible flavoenzyme from *Rhodotorula gracilis* (914) 136
Simonneaux, G., see Bondon, A. (914) 289
Sodano, P., see Bondon, A. (914) 289
Sotak, M., see Cyr, R.J. (914) 28
Srivastava, O.P., Steele, M.I. and Torres-Pinedo, R.
Maturational changes in terminal glycosylation of small intestinal microvillar proteins in the rat (914) 143
Steele, M.I., see Srivastava, O.P. (914) 143
Suzuki, T.
Autoxidation of oxymyoglobin with the distal(E7) glutamine (914) 170
Syvertsen, C., Melø, T.B. and Ljones, T.
Fluorescence studies on dopamine β-monooxygenase: effects of salts, pH changes, metal-chelating agents and Cu^{2+} (914) 6

Taniguchi, Y., see Makimoto, S. (914) 303
Tomita, S., see Tsubaki, M. (914) 246
Torres-Pinedo, R., see Srivastava, O.P. (914) 143
Tsubaki, M., Ohkubo, H., Tsuneoka, Y., Tomita, S., Hiwatashi, A. and Ichikawa, Y.
Existence of multiple forms of cytochrome $P\text{-}450_{scc}$ purified from bovine adrenocortical mitochondria (914) 246
Tsuneoka, Y., see Tsubaki, M. (914) 246

Upperton, K.P., see Cook, N.D. (914) 240

Vanoni, M.A., see Simonetta, M.P. (914) 136
Vecchio, G., Pasta, P., Mazzola, G. and Carrea, G.
Multiparameter study of denaturation of 20β-hydroxysteroid dehydrogenase by urea in the presence of stabilizing agents (914) 122
Vega, J.M., see Romero, L.C. (914) 55

Waldman, A.D.B., see Hart, K.W. (914) 293
Wanger, M. and Wegner, A.
Binding of phosphate ions to actin (914) 105
Watanabe, K. and Funatsu, G.
Interaction of Cibacron blue F3GA and polynucleotides with ricin A-chain, 60 S ribosomal subunit-inactivating protein (914) 177
Weaver, T.E., Kropp, K.L. and Whitsett, J.A.
In vitro sulfation of pulmonary surfactant-associated protein-35 (914) 205
Wegner, A., see Wanger, M. (914) 105
Whitsett, J.A., see Weaver, T.E. (914) 205
Wigley, D.B., see Hart, K.W. (914) 293

Yamamoto, T.
Characterization of guinea-pig high-molecular-weight kininogen as multi-functional molecule (914) 259

Zhou, J.-M., see Martin, S.R. (914) 96